

**Hong Kong - Philips Electronics
Hong Kong Ltd.**
Lighting Asia Pacific Headquarters
5/F, Core Building 1, 1 Science Park East
Avenue, Hong Kong Science Park, Shatin,
New Territories, Hong Kong
Tel: + 852 2821 5300
Fax: + 852 2861 0962

Australia - Philips Lighting
850 Lorimer Street
Port Melbourne VIC 3207
Australia
Tel: + 61 (0)3 9945 2006
Fax: + 61 (0)3 9945 2011

China - Philips Lighting
No 1805, Hu Yi Road
Jiading District
Shanghai 201801, China
Tel: + 86 21 5915 4027
Fax: + 86 21 5915 4024

India - Philips Lighting
9th Floor, Building No. 9B
DLF Cyber City, DLF Phase 3
SEC-25, Gurgaon, 122002
India
Tel: + 91 124 460 6253
Fax: + 91 124 409 1993

Japan - Philips Lighting
Philips Building
13-37, Kohnan 2-chome
Minato-ku, Tokyo 108-8507, Japan
Tel: + 81 3 3740 5153
Fax: + 81 3 3740 5163

Korea - Philips Automotive Lighting
260-199 Itaewon-dong
Yongsan-gu
Seoul 140-200
Korea
Tel: + 82 2 709 1591
Fax: + 82 2 709 1599

Malaysia - Philips Lighting
Level 9, Menara Axis
2, Jalan 51A/223
46100 Petaling Jaya
Selangor Darul Ehsan, Malaysia
Tel: + 603 7965 7488 ext. 605
Fax: + 603 7965 7622/23

**Singapore/Indonesia/Philippines -
Philips Lighting**
620 A Lorong 1 Toa Payoh
TP 3, Level 3
Singapore 319762
Tel: + 65 6882 3842
Fax: + 65 6882 3571

Taiwan - Philips Lighting
14F, No. 3-1, YuanQu Street
NanGang District
Taipei 115, Taiwan
Tel: + 886 2 3789 2563
Fax: + 886 2 3789 2525

Thailand - Philips Lighting
1768, 26th-28th Floor
Thai Summit Tower
New Petchburi Road
Khwaeng Bangkapi
Khet Huaykhwang
Bangkok 10320, Thailand
Tel: + 66 2620 6627
Fax: + 66 2620 6629

**Vietnam - Philips Automotive
Lighting**
2-3 Floor, 34 Giang Van Minh Str.
Hanoi, Vietnam
Tel: 84-4-734 6480, 84-4-734 6481
Fax: 84-4-734 6484



Catalog 2012

Philips Automotive Lighting



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

www.philips.com/automotive
11.2011

PHILIPS
sense and simplicity



Introduction

Car - Xenon

- 7 > Ultinon HID
- 8 > Xenon HID conversion kit

Car - Style

- 10 > DiamondVision
- 11 > CrystalVision
- 12 > BlueVision Ultra
- 13 > Essential Vision

Car - Safety

- 15 > X-tremeVision
- 16 > PowerVision
- 17 > PremiumVision
- 18 > Essential

Car - Environmentally Friendly

- 20 > LongLife EcoVision
- 21 > LongerLife
- 22 > RallyVision

Two Wheeler Lamps 12Volt

- 25 > BlueVision Moto
- 26 > CityVision Moto
- 27 > PremiumVision Moto
- 28 > Essential Moto

Truck - Long Lasting Light

- 31 > MasterLife
- 32 > 24V Standard
- 33 > 24V EssentialPower

Portfolio

- 35 > Xenon HID
- 36 > Halogen
- 46 > Signaling lamps

Information

- 55 > Product positioning
- 57 > Lamps base
- 59 > Product index

Introduction
Car Xenon
Car Style
Car Safety
Car Environmentally Friendly
Motorcycle Two Wheeler Lamps 12Volt
Truck Long Lasting Light
Portfolio
Information

Safe & Environmentally Friendly




In 2008, we developed the first environmentally friendly car lamp in the world and our breakthrough use of LED means more light and less energy. We aim for minimal environmental damage in everything we do. We produce reliable, longer lasting products that reduce waste, in compliance with the EU Waste Electrical & Electronic Equipment Directive (WEEE). And we lead the lighting industry in reducing the amount of hazardous material we use, going further than the EU RoHS requirements for mercury.

Did you know that EcoVision consumes up to 20% less energy than a standard car lamp while giving you twice the lifetime and 10% more light?



Road safety starts with seeing and being seen.



Light is fundamental to driving, light is the first and only part of the safety circle that actually helps prevent accidents before they happen. And light from a Philips lamp is powerful and precise, with maximum output and long-lasting performance. We consistently produce the best, most efficient systems because we know that our high-quality lighting may one day save your life.

Did you know that around 80% of all traffic accidents occur at night or in bad weather? X-tremeVision delivers up to 100% more light than standard halogens for better visibility.

Philips lighting never lets you down.

Our lamps are lifetime reliable with better, brighter and more powerful light output, thanks to (...)



Philips is the choice of all major car manufacturers. Since 1914, Philips has led the automotive lighting industry and our reputation for high quality, safety and innovation today means that 1 out of 2 cars in Europe are fitted with Philips lighting solutions.



Style & Innovation

We make safe feel stylish.

Our customers want performance and innovation but they also want style. Automotive lighting is an extension of your unique image and personality, just like your car. With BlueVision ultra, stand out from the crowd thanks to its ultimate bluish Xenon effect and its ultra bright white light. You can also give a night and day signature to your car with our cutting edge LED DayLight ranges.

(...) their special composition and precision engineering. And our production is meticulously controlled and certified ISO 9001, ISO 14001 & QSO 9000 to the highest ECE standards.



Our key to success is innovation...

The automotive industry moves fast and so do we. We came up with the first high performance halogen lamp, the first environmentally friendly lamp and the first blue lamp. Our constant development is driven by our customers. We make sure our solutions answer drivers needs for safety and comfort as well as sustainability and personal style all with a passion for quality and cutting-edge technology.


... and Philips quartz technology.

Quartz glass is stronger than hard glass and is naturally resistant to sudden changes in surface temperature. This makes Philips quartz glass headlamps perfect for rough driving conditions and ensures their longevity.

As a world leader in healthcare, lifestyle and lighting, Philips integrates technologies and design into people-centric solutions, based on fundamental customer insights and the belief in sense and simplicity. Philips Automotive Lighting is a key part of our Lighting sector, enhancing people's lives by creating innovative solutions and services that make mobility safer, more stylish and more environmentally friendly.

Did you know that we light the Eiffel Tower, the Sydney Opera House, the Sphinx, Big Ben, the Château de Versailles, Printemps Haussmann and London's City Hall?

Milestones in automotive lighting



* available in selected markets

Leading supplier



Since the 1900's Philips has enhanced safety and comfort levels through precision lighting. Philips products are of the highest quality to ensure complete safety and comfort on the road.

Philips understands that people are unique and lifestyles changes, thus creating different needs. Philips is continuously developing new technology to satisfy these needs.

Philips provides a complete range of lighting products for different vehicle applications from headlights to signaling products.

Local for local

With such a diverse range of markets, it is necessary to provide support for both distribution channels and consumers. Philips has established an extensive network including 18 sales offices catering for local sales and marketing activities.

● Country sales office

1. Melbourne (Australia)
2. Hong Kong (China)
3. Shanghai (China)
4. New Delhi (India)
5. Indonesia
6. Tokyo (Japan)
7. Seoul (Korea)
8. Kuala Lumpur (Malaysia)
9. Singapore
10. Taipei (Taiwan)
11. Bangkok (Thailand)
12. Hanoi (Vietnam)

● Local sales office

1. Beijing (China)
2. Wuhan (China)
3. Guangzhou (China)
4. Chennai (India)
5. Mumbai (India)
6. Kolkata (India)

● DPC APR

1. Shanghai (China)

● Application Lab

1. Shanghai (China)



Production and distribution

Europe is responsible for technological developments and Philips has 3 competence centers in the region. Increasing demand in other regions has provided the opportunity to expand in the Asia Pacific and South America. These production centers are operated to the highest quality of Philips. All Philips products made throughout the world are of equally high quality.

To manage growing demand Philips has set up a dedicated Distribution and Packaging Center in Shanghai, China. The Center performs as a regional supplier for both packaging and distributing Philips products from all over the world.

Xenon

Maximize your car's performance



Ultinon HID

Double the light/more varieties for unique needs

For instant upgrade and replacement of OE equipped cars

- > 200% brighter than standard bulbs
- > 50% less energy consumption than halogen bulbs
- > 2,500 hour lifespan almost equal to car life
- > UV-blocking quartz glass

State-of-the-art lighting technology

The Ultinon HID bulb is a High Intensity Discharge bulb filled with a mixture of special salts and gases including Xenon. The bulb has no filament unlike a halogen bulb which does have a filament (see Figure 1).The light arc is created between two electrodes (see Figure 2). As is the case with other gas discharge bulb, the Ultinon HID bulb has an electronic starter for quick ignition, and requires an electronic ballast to function properly.




Figure 1




Figure 2



D1S



D2S 6700K



D2R 6700K



D2S 6000K



D2R 6000K



D2S 5000K



D2R 5000K



D2S 4200K



D2R 4200K

+ Original Equipment quality, ECE R99 approved
special order only



Philips Type	Description	Range	V	W	Base	Packing
42402*	D4S 5000K*	CX	42V	35W	P32d-2	- X2
42402*	D4S 6000K	WX	42V	35W	P32d-5	- X2
42402	D4S 6700K	FS	42V	35W	P32d-5	- X2
42406*	D4R 5000K*	CX	42V	35W	P32d-3	- X2
42406*	D4R 6000K	WX	42V	35W	P32d-6	- X2
42406	D4R 6700K	FS	42V	35W	P32d-6	- X2
85122	D2S 4200K*	ST	85V	35W	P32d-2	- X2
85122	D2S 5000K*	CX	85V	35W	P32d-2	- X2
85122*	D2S 5700K	SX	85V	35W	P32d-2	- X2
85122	D2S 6000K	WX	85V	35W	P32d-2	- X2
85122	D2S 6700K	FS	85V	35W	P32d-2	- X2
85126	D2R 4200K	ST	85V	35W	P32d-3	- X2
85126	D2R 5000K*	CX	85V	35W	P32d-3	- X2
85126*	D2R 5700K	SX	85V	35W	P32d-3	- X2
85126	D2R 6000K	WX	85V	35W	P32d-3	- X2
85126	D2R 6700K	FS	85V	35W	P32d-3	- X2
85410	D1S 4200K*	ST	85V	35W	PK32d-2	- X2
85410	D1S 6000K	WX	85V	35W	PK32d-2	- X2

Xenon HID conversion kit

Easy fit for better sight

Xenon HID Bulb

- > Genuine Philips quality – Original HID bulbs
- > Superior beam pattern – 3-axis alignment
- > Comprehensive product types available for almost all car models

Ballast

- > Easy Installation – Integrated ballast with starter
- > Complete installation kit – Everything included to upgrade your car lighting (in connection with Philips Xenon HID bulb)

The Philips Xenon HID conversion kit is your chance to convert from standard halogen headlamps to the brightest and whitest Xenon bulbs. Not only will these leading edge technology headlamps enhance the look of your car; the headlamps will also give you better visibility and more comfortable night time driving.



XLDCKG4



H1



H3



H4 H/LB



H7




H11



9005



9006



Philips Type	Description	Range	V	W	Base	Packing
85809	Conv. bulb H1	4K	12V	35W	P14,5s	X2
85810	Conv. bulb H1	6K	12V	35W	P14,5s	X2
85828	Conv. bulb H3	4K	12V	35W	PK22s	X2
85815	Conv. bulb H4 H/LB	4K	12V	35W	P43t-38	X2
85816	Conv. bulb H4 H/LB	6K	12V	35W	P43t-38	X2
85813	Conv. bulb H7	4K	12V	35W	PX26d	X2
85814	Conv. bulb H7	6K	12V	35W	PX26d	X2
85823	Conv. bulb H11	4K	12V	35W	PGJ19-2	X2
85829	Conv. bulb H11	6K	12V	35W	PGJ19-2	X2
85822	Conv. bulb 9005	4K	12V	35W	P20d	X2
85826	Conv. bulb 9005	6K	12V	35W	P20d	X2
85831	Conv. bulb 9006	4K	12V	35W	P22d	X2
85832	Conv. bulb 9006	6K	12V	35W	P22d	X2
XLDCK	Conv. electronics	G4	85V	35W	G4	X2

Customize your car

Get noticed on the road



Style




DiamondVision

Ultimate white 5000K light

- > Ultimate white (5,000K) light to stand out
- > Ideal for city driving
- > Easy installation, plug and play
- > Same power consumption as halogen bulbs; no wiring / relays needed
- > UV-blocking quartz glass

Create a distinctively different look for your car. Philips DiamondVision produces 5,000K of dazzling white light so you and your car can stand out from the crowd.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12258	DV	H1	12V	55W	P14,5s	S2 B1
12336	DV	H3	12V	55W	PK22s	S2 -
12342	DV	H4	12V	60/55W	P43t-38	S2 B1
12972	DV	H7	12V	55W	PX26d	S2 B1
12360	DV	H8	12V	35W	PGJ19-1	S2 -
12362	DV	H11	12V	55W	PGJ19-2	S2 -
9005	DV	HB3	12V	65W	P20d	S2 -
9006	DV	HB4	12V	55W	P22d	S2 -






CrystalVision

Bright white 4300K light

- > Bright white (4,300K) light to stand out
- > Ideal for all-purpose driving
- > Easy installation, plug and play
- > Same power consumption as halogen bulbs; no wiring / relays needed
- > UV-blocking quartz glass

Wherever you go, stand out from the crowd. Philips CrystalVision produces 4,300K of bold white light that shows the world you've arrived.

Performance reference



BlueVision ultra

White 4000K light

- > White (4,000K) light to stand out
- > Trusted OE quality
- > UV-blocking quartz glass


Add style to your car's looks. Philips BlueVision ultra produces 4,000K of high quality white light so your car will stand out on the road.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12258	CV	H1	12V	55W	P14.5s	S2 / SM B1
12336	CV	H3	12V	55W	PK22s	S2 / SM B1
12342	CV	H4	12V	60/55W	P43t-38	S2 / SM B1
12972	CV	H7	12V	55W	PX26d	S2 / SM B1
12360	CV	H8	12V	35W	PGJ19-1	S2 -
12362	CV	H11	12V	55W	PGJ19-2	S2 / SM B1
9005	CV	HB3	12.8V	65W	P20d	S2 / SM B1
9006	CV	HB4	12.8V	55W	P22d	S2 / SM B1

Philips Type	Range	Description	V	W	Base	Packing*
12258	BVU	H1	12V	55W	P14.5s	S2/SM B1
12336	BVU	H3	12V	55W	PK22s	S2 -
12342	BVU	H4	12V	60/55W	P43t-38	S2/SM B1
12972	BVU	H7	12V	55W	PX26d	S2/SM B1
12362	BVU	H11	12V	55W	PGJ19-2	S2 -
9005	BVU	HB3	12V	65W	P20d	S2 -
9006	BVU	HB4	12V	55W	P22d	S2 -





More Light

High performance lighting for every need

EssentialVision


White light to be seen

- > White light to be seen
- > UV-blocking quartz glass

* For off road use only


Philips EssentialVision produces comfortable, high quality white light so your car will get noticed on the road and you will see the road better too. UV-blocking quartz glass won't yellow today's headlight housings so your car will always look good – day and night

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12425	EV	H1	12V	85W	P14.5s	B1
12569	EV	H4	12V	100/90W	P43t-38	B1
12035	EV	H7	12V	80W	PX26d	B1





X-tremeVision


100% more light

- > 100% more light for complete control[^]
- > Projects a beam 35m longer than standard bulbs
- > Long lasting than other high-performance halogen bulbs[■]
- > Street legal
- > Trusted OE quality
- > UV-blocking quartz glass


[^] compared to standard bulb
[■] compared to Philips high-performance halogen products

For complete control in all driving conditions, Philips X-tremeVision halogen bulb is the bright choice to drive with confidence.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12258	XV	H1	12V	55W	P14,5s	S2/SM B1
12342	XV	H4	12V	60/55W	P43t-38	S2/SM B1
12972	XV	H7	12V	55W	PX26d	S2/SM B1
12362	XV	H11	12V	55W	PGJ19-2	S2 B1
9005	XV	HB3	12V	65W	P20d	S2 B1
9006	XV	HB4	12V	55W	P22d	S2 B1



PowerVision


60% more light

- > 60% more light for complete control[^]
- > Projects a beam 25m longer than standard bulbs
- > Long lasting than other high-performance halogen bulbs[■]
- > Street legal
- > Trusted OE quality
- > UV-blocking quartz glass

[^] compared to standard bulb
[■] compared to Philips high-performance halogen products

For complete control in all driving conditions, Philips PowerVision halogen bulb is the bright choice to drive with confidence.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12258*	PWV	H1	12V	55W	P14,5s	S2 B1
12336*	PWV	H3	12V	55W	PK22s	S2 B1
12342*	PWV	H4	12V	60/55W	P43t-38	S2 B1
12972*	PWV	H7	12V	55W	PX26d	S2 -
12362*	PWV	H11	12V	55W	PGJ 19-2	S2 -

* available soon






PremiumVision
30% extra light on the road

- > 30% more light for a safer drive^
- > Replace and forget
- > Trusted OE quality
- > UV-blocking quartz glass
- > Comprehensive signaling range available

^ compared to standard bulb

Philips PremiumVision provides 30 percent more light output than a standard car bulb for a safer drive.

Performance reference



H1

H3



H4

H7

H11

HB1

HB3

HB4

HB5

Philips Type	Range	Description	V	W	Base	Packing	
12258	PR	H1	12V	55W	P14,5s	C1	B1
12336	PR	H3	12V	55W	PK22s	C1	B1
12342	PR	H4	12V	60/55W	P43t-38	C1	B1
12596	PR	H4	12V	60/55W	P45t-41	C1	-
12972	PR	H7	12V	55W	PX26d	C1	B1
12362	PR	H11	12V	55W	PGJ19-2	-	B1
9004	PR	HB1	12V	65/45W	P29t	C1	B1
9005	PR	HB3	12V	65W	P20d	C1	B1
9006	PR	HB4	12V	55W	P22d	C1	B1
9007	PR	HB5	12V	65/55W	PX29t	-	B1



Essential
High quality light for a comfortable drive

- > High light output than a standard halogen headlamp
- > Replacement bulb
- > UV-blocking quartz glass

* For off road use only

Philips Essential provides high quality light output for a comfortable drive. Easy to install, you can replace your burnt-out bulb quickly. The beam performance of Essential makes it a smart Choice for replacement.



H1

H3



H4

H7

HB1

HB3

HB4

HB5

H27W/1

H27W/2



Philips Type	Range	Description	V	W	Base	Packing
12258	-	H1	12V	55W	P14,5s	C1
12336	-	H3	12V	55W	PK22s	C1
12342	-	H4	12V	60/55W	P43t-38	C1
12596	-	H4	12V	60/55W	P45t-41	C1
12972	-	H7	12V	55W	PX26d	C1
9004	-	HB1	12V	65/45W	P29t	C1
9005	-	HB3	12V	60W	P20d	C1
9006	-	HB4	12V	55W	P22d	C1
9007	-	HB5	12V	65/55W	PX29t	C1
12059	-	H27W/1	12V	27W	PG13	C1
12060	-	H27W/2	12V	27W	PGJ13	C1

Energy Saving Lamps

Long-lasting and dependable

Environmentally Friendly



LongLife EcoVision

4 x Lifetime


- > 4 x less replacement
- > No replacement required during 100 000 km
- > Reduced maintenance, hassle-free lamp
- > 4 x less waste (packaging, lamp, transport, etc.)
- > Trusted OE quality
- > UV-blocking quartz glass

^ compared to standard bulb

Philips LongLife EcoVision lasts four times longer than standard car bulb while providing the same light output.



Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12258*	LLECO	H1	12V	55W	P14.5s	S2 B1
12336*	LLECO	H3	12V	55W	PK22s	S2 B1
12342*	LLECO	H4	12V	60/55W	P43t-38	S2 B1
12972*	LLECO	H7	12V	55W	PX26d	S2 C1 B1
12362*	LLECO	H11	12V	55W	PGJ19-2	- B1
12498*	LLECO	P21W	12V	21W	BA15s	CP -
12499*	LLECO	P21/5W	12V	21/5W	BAY15d	CP -
12496*	LLECO	PY21W	12V	21W	BAU15s	CP -


* available soon



H1



H4



H4



LongerLife


Twice the lifetime

- > 100% longer life than standard bulbs[^]
- > Safe and long lasting
- > Replace and forget
- > Trusted OE quality
- > UV-blocking quartz glass


[^] compared to standard bulb

Philips LongerLife lasts twice as long as a standard car bulb while providing the same light output.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing	
12258	LL	H1	12V	55W	P14,5s	C1	B1
12336	LL	H3	12V	55W	PK22s	C1	B1
12342	LL	H4	12V	60/55W	P43t-38	C1	B1
12972	LL	H7	12V	55W	PX26d	C1	B1
12362	LL	H11	12V	55W	PGJ19-2	C1	B1
9005	LL	HB3	12V	65W	P20d	-	B1
9006	LL	HB4	12V	55W	P22d	-	B1
12860	LL	Fest T10,5x30	12V	10W	SV8.5	CP	B2
12499	LL	P21/5W	12V	21W	BAY15d	CP	-
12498	LL	P21W	12V	21W	BA15s	CP	-
12821	LL	R5W	12V	5W	BA15s	CP	-



RallyVision


Powerful output for off road use

- > Maximum light output
- > UV-blocking quartz glass
- > Recommended for off road usage


[^] compared to standard bulb


Philips RallyVision offers maximum light output for drivers that require massive amount of light.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing	
12454	RA	H1	12V	100W	P14,5s	C1	B1
12425	RA	H1	12V	85W	P14,5s	C1	B1
12455	RA	H3	12V	100W	PX26d	C1	B1
12593	RA	H4	12V	100/55W	P43t-38	C1	B1
12569	RA	H4	12V	100/90W	P43t-38	C1	B1
12568	RA	H4	12V	100/90W	P45t-41	C1	B1
12349	RA	H4	12V	130/100W	P45t	C1	-
12035	RA	H7	12V	80W	PX26d	C1	B1
9004 RA	RA	HB1	12V	100/80W	P29t	-	B1
12359	RA	HB3	12V	100W	P29t	C1	B1
12358	RA	HB4	12V	100W	P29t	C1	B1





Two Wheeler Lamps

12Volt

Get noticed on the road



Available product offers






BlueVision Moto

White 4000K light

- > White light to be seen
- > Vibration resistant
- > UV-blocking quartz glass

Philips BlueVision Moto produces comfortable, high quality white light so your motorcycle will get noticed on the road and you will see the road better too.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12152	BV	M5	12V	35/35W	BA20d	B1
12153	BV	M5	12V	35/35W	P15d-25-1	B1
12154	BV	M5	12V	35/35W	P15d-25-3	B1
12636	BV	HS1	12V	35/35W	P43t-38	B1



HS1 M5 (P15d-25-1) M5 (P15d-25-3) M5 (BA20d)



CityVision Moto


40% extra light on the road

- > 40% extra light for a safer drive[^]
- > UV-blocking quartz glass

[^] compared to standard bulb

Philips CityVision Moto provides 40 percent more light output than a standard motorcycle bulb for a safer ride.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12342*	CTV	H4	12V	60/55W	P43t-38	BW
12972*	CTV	H7	12V	55W	PX26d	BW
12636*	CTV	HS1	12V	35/35W	PX43t	BW

* available soon



H4 H7 HS1



PremiumVision Moto


30% extra light on the road

- > 30% more light for a safer drive[^]
- > Install and forget
- > Trusted OE quality
- > UV-blocking quartz glass

[^] compared to standard bulb

Philips PremiumVision Moto provides 30 percent more light output than a standard motorcycle bulb for a safer ride.

Performance reference



Philips Type	Range	Description	V	W	Base	Packing
12636	-	HS1	12V	35/35W	PX43t	C1
12152 [#]	-	M5	12V	35/35W	BA20d	C1
12153 [#]	-	M5	12V	35/35W	P15d-25-1	C1
12154 [#]	-	M5	12V	35/35W	P15d-25-3	C1
12728	-	S2	12V	35/35W	BA20d	C1

[#] special order only




HS1

BA20d

P15d-25-1

P15d-25-3

S2



Essential Moto

High quality light for a comfortable drive

- > High quality replacement bulb
- > UV-blocking quartz glass

Philips Essential Moto provides high quality light output for a comfortable ride. Easy to install, you can replace your burnt-out bulb quickly. The beam performance of Essential Moto makes it a smart choice for replacement.



Philips Type	Range	Description	V	W	Base	Packing
12152	ES	M5	12V	35/35W	BA20d	C1
12153	ES	M5	12V	35/35W	P15d-25-1	C1
12154	ES	M5	12V	35/35W	P15d-25-3	C1
12162	ES	M5	12V	35/35W	BA20d	C1
12163	ES	M5	12V	35/35W	P15d-25-1	C1
12164	ES	M5	12V	35/35W	P15d-25-3	C1
12165	ES	M5	12V	35/35W	BA20d	C1
12166	ES	M5	12V	35/35W	P15d-25-1	C1
12167	ES	M5	12V	35/35W	P15d-25-3	C1









BA20d

P15d-25-1

P15d-25-3

Long Lasting Light

Safety for the long drive ahead



Available product offers





MasterLife


Maximum durability & lifetime

- > 2.5x longer life compared to standard bulbs
- > Vibration resistant for greater durability on uneven roads
- > Extended round-the-clock lifetime extension technology for greater safety and reliability
- > Trusted OE quality
- > UV-blocking quartz glass

Philips MasterLife truck headlight bulb lasts 2-1/2 times longer than a standard truck bulb.



Philips Type	Range	Description	V	W	Base	Packing
13258	ML	H1	24V	70W	P14,5s	C1
13336	ML	H3	24V	70W	PK22s	C1
13342	ML	H4	24V	75/70W	P43t-38	C1
13972	ML	H7	24V	70W	PX26d	C1
24362	ML	H11	24V	70W	PGJ19-2	C1
13496	ML	PY21W	24V	21W	BAU15s	CP



24V Standard

Original quality

- > Longer life for greater reliability
- Vibration resistant
- Trusted OE quality
- UV-blocking quartz glass
- Comprehensive signaling range available

Philips 24V Standard truck headlight bulb lasts longer than most standard truck bulbs for greater reliability.



Philips Type	Range	Description	V	W	Base	Packing
13258	-	H1	24V	70W	P14,5s	C1 B1
13336	-	H3	24V	70W	PK22s	C1 B1
13342	-	H4	24V	75/70W	P43t-38	C1 B1
13442	-	H4	24V	100/90CP	P43t-38	C1 -
13543	-	H4	24V	100/90CP	P45t-41	C1 -
13555	-	H4	24V	75/70W	P45t-41	C1 -
24754	-	H4	24V	100/90W	P43T	C1 -
13972	-	H7	24V	70W	PX26d	C1 B1
13620	-	R2	24V	55/50W	P45t-41	C1 -






24V EssentialPower

High wattage for better vision

- > High wattage for better vision
- > Vibration resistant
- > UV-blocking quartz glass

* For off road use only

Philips 24V EssentialPower truck headlight bulb offers bright light for better vision on the road. Vibration resistant, 24V EssentialPower offers greater durability than what you are used to. 24V EssentialPower is compatible with most trucks' headlighting units making it ideal as a direct replacement for conventional bulbs. Lead-free with no hazardous materials, 24V EssentialPower offers quality, reliable light for the long road ahead.



Philips Type	Range	Description	V	W	Base	Packing
13628	RA	H3	24V	100W	PK22s	C1 B1
24568	RA	H4	24V	100/90W	P45t-41	C1 -
24569	RA	H4	24V	100/90W	P43t-38	C1 B1



H3

H4



Available product offers

Safety


LongLasting

Xenon
D2S/R, D1S, D4S/R



D4S/R Safety

Philips Type	Range	Description	V	W	Base	Packing	
42402	CX	D4S 5000K*	85V	35W	P32d-2	-	X2
42406	CX	D4R 5000K*	85V	35W	P32d-3	-	X2




D4S/R Style

Philips Type	Range	Description	V	W	Base	Packing	
42402	WX	D4S 6000K	85V	35W	P32d-5	-	X2
42402	FS	D4S 6700K	85V	35W	P32d-5	-	X2
42406	WX	D4R 6000K	85V	35W	P32d-6	-	X2
42406	FS	D4R 6700K	85V	35W	P32d-6	-	X2



D2S/D2R Safety

Philips Type	Range	Description	V	W	Base	Packing	
85122	ST	D2S 4200K*	85V	35W	P32d-2	-	X2
85122	CX	D2S 5000K*	85V	35W	P32d-2	-	X2
85126	ST	D2R 4200K*	85V	35W	P32d-3	-	X2
85126	CX	D2R 5000K*	85V	35W	P32d-3	-	X2




D2S/D2R Style

Philips Type	Range	Description	V	W	Base	Packing	
85122	SX	D2S 5700K	85V	35W	P32d-2	-	X2
85122	VWX	D2S 6000K	85V	35W	P32d-2	-	X2
85122	FS	D2S 6700K	85V	35W	P32d-2	-	X2
85126	SX	D2R 5700K	85V	35W	P32d-3	-	X2
85126	VWX	D2R 6000K	85V	35W	P32d-3	-	X2
85126	FS	D2R 6700K	85V	35W	P32d-3	-	X2




D1S Safety

Philips Type	Range	Description	V	W	Base	Packing	
85410	ST	D1S 4200K*	85V	35W	PK32d-2	-	X2



D1S Style

Philips Type	Range	Description	V	W	Base	Packing	
85410	VWX	D1S 6000K	85V	35W	PK32d-2	-	X2



P14,5s
IEC 7004-46

H1
12258 / 13258



H1 Safety

Philips Type	Range	V	W	Base	Packing		
12258	XV	12V	55W	P14,5s	-	S2 / SM	B1
12258*	PWV	12V	55W	P14,5s	-	S2	B1
12258	PR	12V	55W	P14,5s	C1	-	B1
12258	-	12V	55W	P14,5s	C1	-	-



H1 Style

Philips Type	Range	V	W	Base	Packing		
12258	DV	12V	55W	P14,5s	-	S2	B1
12258	CV	12V	55W	P14,5s	-	S2 / SM	B1
12258	BVU	12V	55W	P14,5s	-	S2 / SM	B1
12425	EV	12V	85W	P14,5s	-	i	B1



H1 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing		
12258*	LLECO	12V	55W	P14,5s	-	S2	B1
12258	LL	12V	55W	P14,5s	C1	-	B1



H1 Long Lasting



Philips Type	Range	V	W	Base	Packing		
13258	ML	24V	70W	P14,5s	C1	-	-
13258	-	24V	70W	P14,5s	C1	-	B1

* Original Equipment quality, ECE R99 approved

* available soon # special order only

H3

12336 / 13336



PK22s
IEC 7004-47

H3 Safety

Philips Type	Range	V	W	Base	Packing		
12336*	PWV	12V	55W	PK22s	-	S2	B1
12336	PR	12V	55W	PK22s	C1	-	B1
12336	-	12V	55W	PK22s	C1	-	-

H3 Style

Philips Type	Range	V	W	Base	Packing		
12336	DV	12V	55W	PK22s	-	S2	-
12336	CV	12V	55W	PK22s	-	S2 / SM	B1
12336	BVU	12V	55W	PK22s	-	S2	-

H3 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing		
12336*	LLECO	12V	55W	PK22s	-	S2	B1
12336	LL	12V	55W	PK22s	C1	-	B1

H3 Long Lasting

Philips Type	Range	V	W	Base	Packing		
13336	ML	24V	70W	PK22s	C1	-	-
13336	-	24V	70W	PK22s	C1	-	B1


H4

12342 / 12596 / 13342 /
13543 / 13555 /
24754




H4 Safety

Philips Type	Range	V	W	Base	Packing		
12342	XV	12V	60/55W	P43t-38	-	S2 / SM	B1
12342*	PWV	12V	60/55W	P43t-38	-	S2	B1
12342	PR	12V	60/55W	P43t-38	C1	-	B1
12596	PR	12V	60/55W	P45t-41	C1	-	-
12342	CTV	12V	60/55W	P43t-38	-	-	BW
12342	-	12V	60/55W	P43t-38	C1	-	-
12596	-	12V	60/55W	P45t-41	C1	-	-




H4 Style

Philips Type	Range	V	W	Base	Packing		
12342	DV	12V	60/55W	P43t-38	-	S2	B1
12342	CV	12V	60/55W	P43t-38	-	S2 / SM	B1
12342	BVU	12V	60/55W	P43t-38	-	S2 / SM	B1
12569	EV	12V	100/90 W	P43t-38	-	-	B1




H4 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing		
12342*	LLECO	12V	60/55W	P43t-38	-	S2	B1
12342	LL	12V	60/55W	P43t-38	C1	-	B1



H4 Long Lasting

Philips Type	Range	V	W	Base	Packing		
13342	ML	24V	75/70W	P43t-38	C1	-	-
13342	-	24V	75/70W	P43t-38	C1	-	B1
13442	-	24V	100/90CP	P43t-38	C1	-	-
13543	-	24V	100/90CP	P45t-41	C1	-	-
13555	-	24V	75/70W	P45t-41	C1	-	-
24754	-	24V	100/90W	P43T	C1	-	-





HALOGEN



HALOGEN

H7

12972 / 13972



PX26d
IEC 7004-5



PGJ19-2
IEC 7004-110

H11

12362 / 24362



H7 Safety

Philips Type	Range	V	W	Base	Packing		
12972	XV	12V	55W	PX26d	-	S2 / SM	B1
12972*	PVV	12V	55W	PX26d	-	S2	-
12972	PR	12V	55W	PX26d	C1	-	B1
12972	CTV	12V	55W	PX26d	-	-	BW
12972	-	12V	55W	PX26d	C1	-	-



H7 Style

Philips Type	Range	V	W	Base	Packing		
12972	DV	12V	55W	PX26d	-	S2	B1
12972	CV	12V	55W	PX26d	-	S2 / SM	B1
12972	BVU	12V	55W	PX26d	-	S2 / SM	B1
12035	EV	12V	80W	PX26d	-	-	B1



H7 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing		
12972*	LLECO	12V	55W	PX26d	C1	S2	B1
12972	LL	12V	55W	PX26d	C1	-	B1



H7 Long Lasting

Philips Type	Range	V	W	Base	Packing		
13972	ML	24V	70W	PX26d	C1	-	-
13972	-	24V	70W	PX26d	C1	-	B1



H11 Safety

Philips Type	Range	V	W	Base	Packing		
12362	XV	12V	55W	PGJ19-2	-	S2	B1
12362*	PVV	12V	55W	PGJ19-2	-	S2	-
12362	PR	12V	55W	PGJ19-2	-	-	B1



H11 Style

Philips Type	Range	V	W	Base	Packing		
12362	DV	12V	55W	PGJ19-2	-	S2	-
12362	CV	12V	55W	PGJ19-2	-	S2 / SM	B1
12362	BVU	12V	55W	PGJ19-2	-	S2	-



H11 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing		
12362*	LLECO	12V	55W	PGJ19-2	-	-	B1
12362	LL	12V	55W	PGJ19-2	C1	-	B1




H11 Long Lasting

Philips Type	Range	V	W	Base	Packing		
24362	ML	24V	70W	PGJ19-2	C1	-	-

HALOGEN

H8

12360



PGJ19-1
IEC 7004-110



H8 Style



Philips Type	Range	V	W	Base	Packing		
12360	DV	12V	35W	PGJ19-1	-	S2	-
12360	CV	12V	35W	PGJ19-1	-	S2	-

* available soon # special order only

* available soon # special order only

HALOGEN

HB1 9004



PX29t
IEC 7004-66





HB1 Safety

Philips Type	Range	V	W	Base	Packing		
9004	PR	12V	65/45W	P29t	C1	-	B1
9004	-	12V	65/45W	P29t	C1	-	-

HALOGEN

HB3 9005



P20d
IEC 7004-31



HB3 Safety

Philips Type	Range	V	W	Base	Packing		
9005	XV	12V	65W	P20d	-	S2	B1
9005	PR	12V	65W	P20d	C1	-	B1
9005	-	12V	60W	P20d	C1	-	-



HB3 Style

Philips Type	Range	V	W	Base	Packing		
9005	DV	12.8V	65W	P20d	-	S2	-
9005	CV	12.8V	65W	P20d	-	S2/SM	B1
9005	BVU	12V	65W	P20d	-	S2	-





HB3 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing		
9005	LL	12V	65W	P20d	-	-	B1

HALOGEN

HB4 9006



P22d
IEC 7004-32



HB4 Safety

Philips Type	Range	V	W	Base	Packing		
9006	XV	12V	55W	P22d	-	S2	B1
9006	PR	12V	55W	P22d	C1	-	B1
9006	-	12V	55W	P22d	C1	-	-



HB4 Style

Philips Type	Range	V	W	Base	Packing		
9006	DV	12.8V	55W	P22d	-	S2	-
9006	CV	12.8V	55W	P22d	-	S2 / SM	B1
9006	BVU	12V	55W	P22d	-	S2	-





HB4 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing		
9006	LL	12V	55W	P22d	-	-	B1

HALOGEN

HB5 9007



PX29t
IEC 7004-66



HB5 Safety

Philips Type	Range	V	W	Base	Packing		
9007	PR	12V	65/55W	PX29t	-	-	B1
9007	-	12V	65/55W	PX29t	C1	-	-


M5

12152 / 12153 /
12154 /




M5 (BA20d) Safety

Philips Type	Range	V	W	Base	Packing	
12152 [#]	-	12V	35/35W	BA20d	C1	-
12152	ES	12V	35/35W	BA20d	C1	-
12162	ES	12V	35/35W	BA20d	C1	-
12165	ES	12V	35/35W	BA20d	C1	-




M5 (P15d-25-1) Safety

Philips Type	Range	V	W	Base	Packing	
12153 [#]	-	12V	35/35W	P15d-25-1	C1	-
12153	ES	12V	35/35W	P15d-25-1	C1	-
12163	ES	12V	35/35W	P15d-25-1	C1	-
12166	ES	12V	35/35W	P15d-25-1	C1	-



M5 (P15d-25-3) Safety

Philips Type	Range	V	W	Base	Packing	
12154 [#]	-	12V	35/35W	P15d-25-3	C1	-
12154	ES	12V	35/35W	P15d-25-3	C1	-
12164	ES	12V	35/35W	P15d-25-3	C1	-
12167	ES	12V	35/35W	P15d-25-3	C1	-



M5 (BA20d) Style

Philips Type	Range	V	W	Base	Packing	
12152	BV	12V	35/35W	BA20d	-	B1



M5 (P15d-25-1) Style

Philips Type	Range	V	W	Base	Packing	
12153 [*]	BV	12V	35/35W	P15d-25-1	-	B1




M5 (P15d-25-3) Style

Philips Type	Range	V	W	Base	Packing	
12154 [*]	BV	12V	35/35W	P15d-25-3	-	B1



P21W Safety

Philips Type	Range	V	W	Base	Packing	
12498	-	12V	21W	BA15s	CP	-



P21W Environmentally Friendly


Philips Type	Range	V	W	Base	Packing	
12498	LL	12V	21W	BA15s	CP	-
12498 [*]	LLECO	12V	21W	BA15s	CP	-

P21W Long Lasting

Philips Type	Range	V	W	Base	Packing	
13498	ML	24V	21W	BA15s	CP	-
13498	-	24V	21W	BA15s	CP	-


P21/4W Environmentally Friendly

Philips Type	Range	V	W	Base	Packing	
12594	-	12V	21/4W	BAZ15d	CP	B2



P21/5W Safety

Philips Type	Range	V	W	Base	Packing	
12499	-	12V	21W	BAY15d	CP	-



P21/5W Environmentally Friendly

Philips Type	Range	V	W	Base	Packing	
12499	LL	12V	21W	BAY15d	CP	-
12499 [*]	LLECO	12V	21/5W	BAY15d	CP	-

P21/5W Long Lasting


Philips Type	Range	V	W	Base	Packing	
13499	-	24V	21/5W	BAY15d	CP	-

STOP



PY21W Safety

Philips Type	Range	V	W	Base	Packing
12496	-	12V	21W	BAU15s	CP



PY21W Environmentally Friendly

Philips Type	Range	V	W	Base	Packing
12496*	LLECO	12V	21W	BAU15s	CP




PY21W Long Lasting

Philips Type	Range	V	W	Base	Packing
13496	ML	24V	21W	BAU15s	CP




PR21W Safety

Philips Type	Range	V	W	Base	Packing
12088	-	12V	21W	BAW15s	CP



Stop P25 Safety

Philips Type	Range	V	W	Base	Packing
12445	-	12V	18W	BA15s	CP



Stop P25 Long Lasting

Philips Type	Range	V	W	Base	Packing
13445	-	24V	18W	BA15s	CP




BA15s
IEC 7004-11A

Rear parking



R5W Safety

Philips Type	Range	V	W	Base	Packing
12822	-	12V	5W	BA15s	CP



R5W Environmentally Friendly

Philips Type	Range	V	W	Base	Packing
12821	LL	12V	5W	BA15s	CP




R5W Long Lasting

Philips Type	Range	V	W	Base	Packing
13821*	ML	24V	5W	BA15s	CP
13821	-	24V	5W	BA15s	CP
13822	-	24V	5W	BA15s	CP



R10W Safety

Philips Type	Range	V	W	Base	Packing
12814	-	12V	10W	BA15s	CP



R10W Long Lasting

Philips Type	Range	V	W	Base	Packing
13814*	-	24V	10W	BA15s	CP
13814	-	24V	10W	BA15s	CP


SIGNALING

Wedge base




W1,2W - W2,3W - W2W Safety

Philips Type	Range	Description	V	W	Base	Packing
12061	-	W2,3W	12V	2,3W	W2x4,6d	CP
12505	-	W2W	12V	2W	W2x4,6d	CP
12516	-	W1,2W	12V	1,2W	W2x4,6d	CP



W1,2W - W2,3W - W2W Long Lasting

Philips Type	Range	Description	V	W	Base	Packing
13516	-	W1,2W	24V	1,2W	W2x4,6d	CP



* available soon # special order only

* available soon # special order only


Wedge base

Wedge base



W2,2W - W2,5W - W3W Safety

Philips Type	Range	Description	V	W	Base	Packing
12960	-	W2,2W	12V	2,2W	W2,1X9,5d	CP
12256	-	W3W	12V	3W	W2,1X9,5d	CP B2



W2,2W - W2,5W - W3W Long Lasting

Philips Type	Range	Description	V	W	Base	Packing
13960	-	W2,5W	24V	2,5W	W2,1X9,5d	CP
13256	-	W3W	24V	3W	W2,1X9,5d	CP




W5W Safety

Philips Type	Range	V	W	Base	Packing
12961	-	12V	4W	W2,1X9,5d	CP B2




W5W Style

Philips Type	Range	V	W	Base	Packing
12961	BV	12V	4W	W2,1X9,5d	- B2




W5W Environmentally Friendly

Philips Type	Range	V	W	Base	Packing
12961	LL	12V	5W	W2,1X9,5d	CP




W5W Long Lasting

Philips Type	Range	V	W	Base	Packing
13961	-	24V	5W	W2,1X9,5d	CP




WY5W Safety

Philips Type	Range	V	W	Base	Packing
12396	-	12V	5W	W2,1X9,5d	CP




W16W Safety

Philips Type	Range	V	W	Base	Packing
12067	-	12V	16W	W2,1X9,5d	CP B2




W21W Safety

Philips Type	Range	V	W	Base	Packing
12065	-	12V	21W	W3x16d	CP B2



W21/5W Safety

Philips Type	Range	V	W	Base	Packing
12066	-	12V	21/5W	W3x16q	CP B2



WY21W Safety

Philips Type	Range	V	W	Base	Packing
12071	-	12V	21W	W3x16d	CP B2



SV6
IEC 7004-5


SV8,5-8
IEC 7004-81

Festoon




T6,2x27 Safety

Philips Type	Range	V	W	Base	Packing
12818	-	12V	3W	SV6	CP




T6,2x27 Long Lasting

Philips Type	Range	V	W	Base	Packing
13818	-	24V	3W	SV6	CP




T6,2x35 Safety

Philips Type	Range	V	W	Base	Packing
12848	-	12V	3W	SV6	CP




T6,2x35 Long Lasting

Philips Type	Range	V	W	Base	Packing
13848	-	24V	3W	SV6	CP



C5W Safety

Philips Type	Range	V	W	Base	Packing
12844	-	12V	5W	SV8,5	CP



C5W Long Lasting

Philips Type	Range	V	W	Base	Packing
13844	-	24V	5W	SV8,5	CP



Festoon



T10,5x30 Environmentally Friendly

Philips Type	Range	V	W	Base	Packing	
12860	LL	12V	10W	SV8,5	CP	B2

T10,5x38 Safety

Philips Type	Range	V	W	Base	Packing	
12854	-	12V	10W	SV8,5	CP	B2

T10,5x38 Long Lasting

Philips Type	Range	V	W	Base	Packing	
13854	-	24V	10W	SV8,5	CP	-

T10,5x43 Safety

Philips Type	Range	V	W	Base	Packing	
12864	-	12V	5W	SV8,5	CP	-
12866	-	12V	10W	SV8,5	CP	B2

T10,5x43 Long Lasting

Philips Type	Range	V	W	Base	Packing	
13864	-	24V	5W	SV8,5	CP	-
13866	-	24V	10W	SV8,5	CP	-

C21W Safety

Philips Type	Range	V	W	Base	Packing	
12803	-	12V	21W	SV8,5	CP	B2

T15x43 Safety






Philips Type	Range	V	W	Base	Packing	
12807	-	12V	18W	SV8,5	CP	B2

T15x43 Long Lasting

Philips Type	Range	V	W	Base	Packing	
13807	-	24V	18W	SV8,5	CP	-

TW15x43 Long Lasting

Philips Type	Range	V	W	Base	Packing	
24030	-	24V	20W	SV8,5	CP	-



Auxiliary



T2W-T3W Long Lasting

Philips Type	Range	Description	V	W	Base	Packing
13910	-	T3W	24V	3W	BA9s	CP
13913	-	T2W	24V	2W	BA9s	CP

T4W Style

Philips Type	Range	Description	V	W	Base	Packing
12929	BV	T4W	12V	4W	BA9s	- B2

T4W Safety

Philips Type	Range	Description	V	W	Base	Packing
12929	-	T4W	12V	4W	BA9s	CP B2

T4W Long Lasting




Philips Type	Range	Description	V	W	Base	Packing
13929*	ML	T4W	24V	4W	BA9s	CP
13929	-	T4W	24V	4W	BA9s	CP

H6W Style

Philips Type	Range	Description	V	W	Base	Packing
12036	BV	H6W	12V	6W	BAX9s	- B2

H6W Safety

Philips Type	Range	Description	V	W	Base	Packing
12036	-	H6W	12V	6W	BAX9s	CP B2



Bax

BAX8,3s/1,35 Safety



Philips Type	Range	V	W	Base	Packing
12597	-	12V	1,2W	BAX8,3s/1,35 black	CP

BAX8,5d/2 Safety

Philips Type	Range	V	W	Base	Packing
12598	-	12V	1,2W	BAX8,5d/2 black	CP
12600#	-	12V	2W	BAX8,5d/2 yellow-green	CP

BAX8,5d/2 Long Lasting

Philips Type	Range	V	W	Base	Packing
13598	-	24V	1,2W	BAX8,5d/2	CP




* available soon # special order only

Auxiliary



T2W-T3W Safety

Philips Type	Range	Description	V	W	Base	Packing
12910	-	T3W	12V	3W	BA9s	CP
12913	-	T2W	12V	2W	BA9s	CP



BA9s
IEC 7004-14


Bax

Miniature halogen USA signaling




BAX8,5d/2 Long Lasting

Philips Type	Range	V	W	Base	Packing
24029	-	24V	1,2W	BAX8,5d/2	CP



BAX8,3s/1,5 Safety

Philips Type	Range	V	W	Base	Packing
12602*	-	12V	2W	BAX8,3s/1,5 blue	CP



BAX8,5d/1,5 Safety

Philips Type	Range	V	W	Base	Packing
12603*	-	12V	1,2W	BAX8,5d/1,5 blue	CP




B8,5d Safety

Philips Type	Range	V	W	Base	Packing
12604*	-	12V	2W	B8,5d green	CP



B10d Safety

Philips Type	Range	V	W	Base	Packing
12614*	-	12V	3W	B10d Brown	CP
12615*	-	12V	5W	B10d Black	CP



B8,4d Safety

Philips Type	Range	V	W	Base	Packing
12623*	-	12V	1,2W	B8,4d light blue	CP



BX8,4d Safety

Philips Type	Range	V	W	Base	Packing
12624*	-	12V	1,1W	BX8,4d orange	CP
12625*	-	12V	1,2W	BX8,4d black	CP
12626*	-	12V	2W	BX8,4d light green	CP
12627*	-	12V	1,5W	BX8,4d beige	CP
12628*	-	12V	1,3W	BX8,4d olive green	CP
12629*	-	12V	1,8W	BX8,4d beige	CP




B8,5d Safety

Philips Type	Range	V	W	Base	Packing
12637*	-	12V	1,5W	B8,5d beige	CP



BX8,5D Safety

Philips Type	Range	V	W	Base	Packing
12638*	-	12V	1,12W	BX8,5D White	CP
12640	-	12V	0,4W	BX8,5D Violet	CP




BX8,5D Long Lasting

Philips Type	Range	V	W	Base	Packing
24032	-	24V	1,2W	BX8,5D	CP




H5W - H10W - H20W Safety

Philips Type	Range	Description	V	W	Base	Packing
12023	-	H5W	12V	5W	BAX9s	CP
12024	-	H10W	12V	10W	BA9s	CP
12025	-	H20W	12V	20W	BA9s	CP



H21W Safety

Philips Type	Range	Description	V	W	Base	Packing
12356	-	H21W	12V	21W	BAY9s	CP




H21W Long Lasting

Philips Type	Range	Description	V	W	Base	Packing
24356	-	H21W	24V	21W	BAY15d	CP




H27W/1 Safety

Philips Type	Range	Description	V	W	Base	Packing
12059	-	H21W/1	12V	27W	PG13	C1




H27W/2 Safety

Philips Type	Range	Description	V	W	Base	Packing
12060	-	H21W/2	12V	27W	PG13	C1




T-5 Safety

Philips Type	Range	Description	V	W	Base	Packing
921	-	T-5	12V	18W	W2,1X9,5d	CP



S-8 Safety

Philips Type	Range	Description	V	W	Base	Packing
1156	-	S-8	12V	32CP	BA15s	CP
1156NA	-	S-8	12V	24CP	BA15s	CP
1157	-	S-8	12V	32/3CP	BAY15d	CP
1157NA	-	S-8	12V	26,88/8,26W	BAY15d	CP
3057	-	S-8	12V	24/2,2CP	BAY15d	CP
3157NA	-	S-8	12V	26,88/8,26W	W2,5x16q	CP



P27W Safety

Philips Type	Range	V	W	Base	Packing
3156	-	12V	26,88W	W2,5x16d	CP



P27/7W Safety

Philips Type	Range	V	W	Base	Packing
3157	-	12V	32/3CP	W2,5x16q	CP





Cars

Safety		Style		Environmentally Friendly
Halogen Lamp	Xenon Lamp	Halogen Lamp	Xenon Lamp	Halogen Lamp
Best	X-tremeVision	DiamondVision	Ultinon Flash Star 6700K	LongLife EcoVision
		CrystalVision		
Better	PowerVision	BlueVision ultra	Ultinon Flash White 6000K	LongerLife
	Ultinon Flash Clear 5000K		Ultinon Flash Cool 5700K	
Good	PremiumVision	EssentialVision		
	Essential 4200K			

More offers



More offers



Xenon HID Ballast



Motorcycles

Safety	Style
Halogen Lamp	Halogen Lamp
Best	
Better	CityVision Moto
	BlueVision Moto
Good	PremiumVision Moto
	Essential Moto




Trucks




Long Lasting
Halogen Lamp
Best
MasterLife
Better
Good
24V Standard
More offers
24V EssentialPower




















					
SV6	SV8,5-8	W2x4,6d	W2,1x9,5d	W3x16d	W3x16q
T6,2x35/T6,2x27	C5W/C21W	W2W	W5W	T20	S-8/P27W/P27/7W
IEC 7004-5	IEC 7004-81	IEC 7004-94	IEC 7004-91	IEC 7004-105	IEC 7004-106







					
WX3x16d	W2,5x16q	W2,5x16d	BAX 9s	BAY 9s	BA 9s
W21W/WY21W	S-8	P27W	H6W	H21W	T4W/H5W
IEC 7004-105			IEC 7004-8	IEC 7004-9	IEC 7004-14



					
BA 15s	BA 15d	BAU 15s	BAY 15d	BA 20d	BAW 15s
R5W	R5W	PY21W	P21/5W	S1, S2, M5	PR21W
IEC 7004-11A	IEC 7004-11A	IEC 7004-11A	IEC 7004-11B	IEC 7004-12	IEC 7004-11E11

					
BAZ 15d	P15d-25-1	P15d-25-3	B8,5d/BX8,5D	B8,4d/BX8,4d	B10d
BAZ 15d	M5	M5	BAX	BAX	BAX
IEC 7004-11C					

					
BAX 8.3s	BAX 8,5d	BAX yellow	P43t-38	P45t-41	P20d-PY20d
BAX	BAX	BAX	H4	H4	9005/9145
			IEC 7004-39	IEC 7004-95	IEC 7004-31

					
P22d	PG13	PGJ13	PGJ19-1	PGJ19-2	PGJ19-5
9006	800 series	800 series	H8	H11	H9
IEC 7004-32	IEC 7004-107	IEC 7004-107	IEC 7004-110	IEC 7004-110	IEC 7004-110

					
P14,5s	X511	PX26d	PK 32d	P32d	P29t - PX29t
H1	H2	H7	D1	D2	9004/9007
IEC 7004-46	IEC 7004-99	IEC 7004-5	IEC 7004-111	IEC 7004-111	IEC 7004-66

	
PX43t-38	PK22s
HS1	H3
IEC 7004-34	IEC 7004-47

Product index

Philips Type	Range	Description	V	W	Base	Part number			
						Commercial Box	Special	Blister	page
795X#	-	-	12V	50W	BA15s	-	-	795XB1	43
885#	-	800 series	12.8V	50W	PG13	-	-	885B1	43
886#	-	800 series	12V	50W	PGJ13	886C1	-	886B1	43
889#	-	800 series	12.8V	27W	PGJ13	-	-	889B1	43
890#	-	800 series	12.8V	27W	PG13	-	-	890B1	43
893#	CV	800 series	12V	37.5W	PG13	-	-	893CVB1	43
893#	-	800 series	12.8V	37.5W	PG13	-	-	893B1	43
896#	-	800 series	12.8V	37.5W	PGJ13	-	-	896B1	43
921	-	T-5	12V	18W	W2,1X9,5d	921CP	-	921B2	54
1156	-	S-8	12V	32CP	BA15s	1156CP	-	1156B2	54
1156NA	-	S-8	12V	24CP	BA15s	1156NACP	-	-	54
1157	-	S-8	12V	32/3CP	BAY15d	1157CP	-	1157B2	54
1157NA	-	S-8	12V	26,88/8,26W	BAY15d	1157NACP	-	-	54
3057	-	S-8	12V	24/2,2CP	BAY15d	3057CP	-	-	54
3156	-	P27W	12V	26,88W	W2,5x16d	3156CP	-	-	54
3157	-	P27/7W	12V	32/3CP	W2,5x16q	3157CP	-	-	54
3157NA	-	S-8	12V	26,88/8,26W	W2,5x16q	3157NACP	-	3157NAB2	54
9004	-	HB1	12V	65/45W	P29t	9004C1	-	-	41
9004	PR	HB1	12V	65/45W	P29t	9004PRC1	-	9004PRB1	41
9005	-	HB3	12.8V	65W	P20d	9005C1	-	-	41
9005	DV	HB3	12.8V	65W	P20d	-	9005DVS2	-	41
9005	CV	HB3	12.8V	65W	P20d	-	9005CVSM	9005CVB1	41
9005	CV	HB3	12.8V	65W	P20d	-	9005CVS2	-	41
9005	BVU	HB3	12V	65W	P20d	-	9005BVUS2	-	41
9005	XV	HB3	12V	65W	P20d	-	9005XVS2	9005XVB1	41
9005	PR	HB3	12V	65W	P20d	9005PRC1	-	9005PRB1	41
9005	LL	HB3	12V	65W	P20d	-	-	9005LLB1	41
9005XS#	-	HB3A	12V	65W	P20d	-	-	9005XSB1	-
9006	-	HB4	12.8V	55W	P22d	9006C1	-	-	42
9006	DV	HB4	12.8V	55W	P22d	-	9006DVS2	-	42
9006	CV	HB4	12.8V	55W	P22d	-	9006CVSM	9006CVB1	42
9006	CV	HB4	12.8V	55W	P22d	-	9006CVS2	-	42
9006	BVU	HB4	12V	55W	P22d	-	9006BVUS2	-	42
9006	XV	HB4	12V	55W	P22d	-	9006XVS2	9006XVB1	42
9006	PR	HB4	12V	55W	P22d	9006PRC1	-	9006PRB1	42
9006	LL	HB4	12V	55W	P22d	-	-	9006LLB1	42
9006XS#	-	HB4A	12V	55W	P22d	-	-	9006XSB1	-
9007	-	HB5	12V	65/55W	PX29t	9007C1	-	-	42
9007	PR	HB5	12V	65/55W	PX29t	-	-	9007PRB1	42
9140#	CV	9000 series	12V	40W	P20d	-	-	9140CVB1	43
9140	-	9000 series	12V	40W	P20d	-	9140C1	-	43
9145	-	H10	12V	45W	PY20d	-	9145C1	-	43
12023	-	H5W	12V	5W	BAX9s	12023CP	-	-	54
12024	-	H10W	12V	10W	BA9s	12024CP	-	-	54
12025	-	H20W	12V	20W	BA9s	12025CP	-	-	54
12035	EV	H7	12V	80W	PX26d	-	-	12035EVB1	39
12036	-	H6W	12V	6W	BAX9s	12036CP	-	12036B2	52
12036	BV	H6W	12V	6W	BAX9s	-	-	12036BVB2	52
12059	-	H27W/1	12V	27W	PG13	12059C1	-	-	54
12060	-	H27W/2	12V	27W	PGJ13	12060C1	-	-	54
12061	-	W2,3W	12V	2,3W	W2x4,6d	12061CP	-	-	48
12065	-	W21W	12V	21W	W3x16d	12065CP	-	12065B2	50
12066	-	W21/5W	12V	21/5W	W3x16q	12066CP	-	12066B2	50
12067	-	W16W	12V	16W	W2,1X9,5d	12067CP	-	12067B2	49
12071	-	WY21W	12V	21W	W3x16d	12071CP	-	12071B2	50
12088	-	PR21W	12V	21W	BAW15s	12088CP	-	-	47
12152	ES	M5	12V	35/35W	BA20d	12152C1	-	-	45
12152	BV	M5	12V	35/35W	BA20d	-	-	12152BVB1	45

* available soon # special order only

Philips Type	Range	Description	V	W	Base	Part number			
						Commercial Box	Special	Blister	page
12153	ES	M5	12V	35/35W	P15d-25-1	12153ESC1	-	12153BVB1	45
12153*	BV	M5	12V	35/35W	P15d-25-1	-	-	12153BVB1	45
12154	ES	M5	12V	35/35W	P15d-25-3	12414ESC1	-	-	45
12154*	BV	M5	12V	35/35W	P15d-25-3	-	-	12154BVB1	45
12162	ES	M5	12V	35/35W	BA20d	12162ESC1	-	-	45
12163	ES	M5	12V	35/35W	P15d-25-1	12163ESC1	-	-	45
12164	ES	M5	12V	35/35W	P15d-25-3	12164ESC1	-	-	45
12165	ES	M5	12V	35/35W	BA20d	12165ESC1	-	-	45
12166	ES	M5	12V	35/35W	P15d-25-1	12166ESC1	-	-	45
12167	ES	M5	12V	35/35W	P15d-25-3	12167ESC1	-	-	45
12256	-	W3W	12V	3W	W2,1X9,5d	12256CP	-	12256B2	49
12258	-	H1	12V	55W	P14,5s	12258C1	-	-	36
12258	DV	H1	12V	55W	P14,5s	-	12258DVS2	12258DVB1	36
12258	CV	H1	12V	55W	P14,5s	-	12258CVSM	12258CVB1	36
12258	CV	H1	12V	55W	P14,5s	-	12258CVS2	-	36
12258	BVU	H1	12V	55W	P14,5s	-	12258BVUSM	12258BVUB1	36
12258	BVU	H1	12V	55W	P14,5s	-	12258BVUS2	-	36
12258	XV	H1	12V	55W	P14,5s	-	12258XVSM	12258XVB1	36
12258	XV	H1	12V	55W	P14,5s	-	12258XVS2	-	36
12258*	PWV	H1	12V	55W	P14,5s	-	12258PWVS2	12258PWVB1	36
12258	PR	H1	12V	55W	P14,5s	12258PRC1	-	12258PRB1	36
12258*	LLECO	H1	12V	55W	P14,5s	-	12258LLECOS2	12258LLECOB1	36
12258	LL	H1	12V	55W	P14,5s	12258LLC1	-	12258LLB1	36
12336	-	H3	12V	55W	PK22s	12336C1	-	-	37
12336	DV	H3	12V	55W	PK22s	-	12336DVS2	-	37
12336	CV	H3	12V	55W	PK22s	-	12336CVSM	12336CVB1	37
12336	CV	H3	12V	55W	PK22s	-	12336CVS2	-	37
12336	BVU	H3	12V	55W	PK22s	-	12336BVUS2	-	37
12336*	PWV	H3	12V	55W	PK22s	-	12336PWVS2	12336PWVB1	37
12336	PR	H3	12V	55W	PK22s	12336PRC1	-	12336PRB1	37
12336*	LLECO	H3	12V	55W	PK22s	-	12336LLECOS2	12336LLECOB1	37
12336	LL	H3	12V	55W	PK22s	12336LLC1	-	12336LLB1	37
12342	-	H4	12V	60/55W	P43t-38	12342C1	-	-	38
12342	DV	H4	12V	60/55W	P43t-38	-	12342DVS2	12342DVB1	38
12342	CV	H4	12V	60/55W	P43t-38	-	12342CVSM	12342CVB1	38
12342	CV	H4	12V	60/55W	P43t-38	-	12342CVS2	-	38
12342	BVU	H4	12V	60/55W	P43t-38	-	12342BVUSM	12342BVUB1	38
12342	BVU	H4	12V	60/55W	P43t-38	-	12342BVUS2	-	38
12342	XV	H4	12V	60/55W	P43t-38	-	12342XVSM	12342XVB1	38
12342	XV	H4	12V	60/55W	P43t-38	-	12342XVS2	-	38
12342*	PWV	H4	12V	60/55W	P43t-38	-	12342PWVS2	12342PWVB1	38
12342	PR	H4	12V	60/55W	P43t-38	12342PRC1	-	12342PRB1	38
12342	CTV	H4	12V	60/55W	P43t-38	-	-	12342CTVBW	38
12342*	LLECO	H4	12V	60/55W	P43t-38	-	12342LLECOS2	12342LLECOB1	38
12342	LL	H4	12V	60/55W	P43t-38	12342LLC1	-	12342LLB1	38
12356	-	H21W	12V	21W	BAY9s	12356CP	-	12356B2	54
12360	DV	H8	12V	35W	PGJ19-1	-	12360DVS2	-	39
12360	CV	H8	12V	35W	PGJ19-1	-	12360CVS2	-	39
12362*	DV	H11	12V	55W	PGJ19-2	-	12362DVS2	-	40
12362	CV	H11	12V	55W	PGJ19-2	-	12362CVSM	12362CVB1	40
12362	CV	H11	12V	55W	PGJ19-2	-	12362CVS2	-	40
12362	BVU	H11	12V	55W	PGJ19-2	-	12362BVUS2	-	40
12362	XV	H11	12V	55W	PGJ19-2	-	12362XVS2	12362XVB1	40
12362*	PWV	H11	12V	55W	PGJ19-2	-	12362PWVS2	-	40
12362	PR	H11	12V	55W	PGJ19-2	-	-	12362PRB1	40
12362*	LLECO	H11	12V	55W	PGJ19-2	-	-	12362LLECOB1	40
12362	LL	H11	12V	55W	PGJ19-2	12362LLC1	-	12362LLB1	40
12396	-	WY5W	12V	5W	W2,1X9,5d	12396NACP	-	-	49
12425	EV	H1	12V	85W	P14,5s	-	-	-	36
12445	-	Stop P25	12V	18W	BA15s	12445CP	-	-	47
12496	NA	PY21W	12V	21W	BAU15s	12496NACP	-	12496NAB2	47
12496	LLECO	PY21W	12V	21W	BAU15s	12496LLECOCP	-	-	47
12498	LL	P21W	12V	21W	BA15s	12498LLCP	-	-	46
12498	LLECO	P21W	12V	21W	BA15s	12498LLECOCP	-	-	46
12499	LL	P21/5W	12V	21W	BAY15d	12499LLCP	-	-	46
12499	LLECO	P21/5W	12V	21/5W	BAY15d	12499LLECOCP	-	-	46
12505	-	W2W	12V	2W	W2x4,6d	12505CP	-	-	48
12516	-	W1,2W	12V	1,2W	W2x4,6d	12516CP	-	12516B2	48

* availablie soon # special order only



Product index

Philips Type	Range	Description	V	W	Base	Part number			
						Commercial Box	Special	Blister	page
12569	EV	H4	12V	100/90W	P43t-38	-	-	12569EVB1	38
12594	-	P21/4W	12V	21/4W	BAZ15d	12594CP	-	12594B2	46
12596	-	H4	12V	60/55W	P45t-41	12596C1	-	-	38
12596	PR	H4	12V	60/55W	P45t-41	12596PRC1	-	-	38
12597	-	BAX	12V	1,2W	BAX8,3s/1,35 black	12597CP	-	-	52
12598	-	BAX	12V	1,2W	BAX8,5d/2 black	12598CP	-	-	52
12600#	-	BAX	12V	2W	BAX8,5d/2 yellow-green	12600CP	-	-	52
12602#	-	BAX	12V	2W	BAX8,3s/1,5 blue	12602CP	-	-	53
12603#	-	BAX	12V	1,2W	BAX8,5d/1,5 blue	12603CP	-	-	53
12604#	-	BAX	12V	2W	B8,5d green	12604CP	-	-	53
12614#	-	BAX	12V	3W	B10d Brown	12614CP	-	-	53
12615#	-	BAX	12V	5W	B10d Black	12615CP	-	-	53
12623#	-	BAX	12V	1,2W	B8,4d light blue	12623CP	-	-	53
12624#	-	BAX	12V	1,1W	BX8,4d orange	12624CP	-	-	53
12625#	-	BAX	12V	1,2W	BX8,4d black	12625CP	-	-	53
12626#	-	BAX	12V	2W	BX8,4d light green	12626CP	-	-	53
12627#	-	BAX	12V	1,5W	BX8,4d beige	12627CP	-	-	53
12628#	-	BAX	12V	1,3W	BX8,4d olive green	12628CP	-	-	53
12629#	-	BAX	12V	1,8W	BX8,4d beige	12629CP	-	-	53
12636	BV	HS1	12V	35/35W	P43t-38	-	-	12636BVB1	44
12636	CTV	HS1	12V	35/35W	PX43t	-	-	12636CTVBW	44
12636	-	HS1	12V	35/35W	P43t	12636C1	-	-	44
12637#	-	BAX	12V	1,5W	B8,5d beige	12637CP	-	-	53
12638#	-	BAX	12V	1,12W	BX8,5D White	12638CP	-	-	53
12640	-	BAX	12V	0,4W	BX8,5D Violet	12640CP	-	-	53
12718	-	S1	12V	25/25W	BA20d	-	12718C1	-	44
12728	-	S2	12V	35/35W	BA20d	-	12728C1	-	44
12803	-	C21W	12V	21W	SV8,5	12803CP	-	12803B2	51
12807	-	Fest T15x43	12V	18W	SV8,5	12807CP	-	12807B2	51
12814	-	R10W	12V	10W	BA15s	12814CP	-	12814B2	48
12818	-	Fest T6,2x27	12V	3W	SV6	12818CP	-	-	51
12821	LL	R5W	12V	5W	BA15s	12821LLCP	-	-	48
12822	-	R5W	12V	5W	BA15s	12822CP	-	-	48
12844	-	C5W	12V	5W	SV8,5	12844CP	-	-	50
12848	-	Fest T6,2x35	12V	3W	SV6	12848CP	-	-	50
12854	-	Fest T10,5x38	12V	10W	SV8,5	12854CP	-	12854B2	51
12860	LL	Fest T10,5x30	12V	10W	SV8,5	12860LLCP	-	12860LLB2	51
12864	-	Fest T10,5x43	12V	5W	SV8,5	12864CP	-	-	51
12866	-	Fest T10,5x43	12V	10W	SV8,5	12866CP	-	12866B2	51
12910	-	T3W	12V	3W	BA9s	12910CP	-	-	51
12913	-	T2W	12V	2W	BA9s	12913CP	-	-	51
12929	BV	T4W	12V	4W	BA9s	-	-	12929BVB2	52
12929	-	T4W	12V	4W	BA9s	12929CP	-	12929B2	52
12960	-	W2,2W	12V	2,2W	W2,1X9,5d	12960CP	-	-	49
12961	BV	W5W	12V	4W	W2,1X9,5d	-	-	12961BVB2	49
12961	LL	W5W	12V	5W	W2,1X9,5d	12961LLCP	-	-	49
12961	-	W5W	12V	5W	W2,1X9,5d	12961CP	-	12961B2	49
12961	CVST	WB T10	12V	5W	W2,1X9,5d	-	-	12961CVSTB2	49
12972	-	H7	12V	55W	PX26d	12972C1	-	-	39
12972	DV	H7	12V	55W	PX26d	-	12972DVS2	12972DVB1	39
12972	CV	H7	12V	55W	PX26d	-	12972CVSM	12972CVB1	39
12972	CV	H7	12V	55W	PX26d	-	12972CVS2	-	39
12972	BVU	H7	12V	55W	PX26d	-	12972BVUSM	12972BVUB1	39
12972	BVU	H7	12V	55W	PX26d	-	12972BVUS2	-	39
12972	XV	H7	12V	55W	PX26d	-	12972XVSM	12972XVB1	39
12972	XV	H7	12V	55W	PX26d	-	12972XVS2	-	39
12972*	PWV	H7	12V	55W	PX26d	-	12972PWVS2	-	39
12972	PR	H7	12V	55W	PX26d	12972PRC1	-	12972PRB1	39

* available soon # special order only

Philips Type	Range	Description	V	W	Base	Part number			
						Commercial Box	Special	Blister	page
12972	CTV	H7	12V	55W	PX26d	-	-	12972CTVBW	39
12972*	LLECO	H7	12V	55W	PX26d	12972LLECO1	12972LLECOS2	12972LLECOB1	39
12972	LL	H7	12V	55W	PX26d	12972LLC1	-	12972LLB1	39
13256	-	W3W	24V	3W	W2,1X9,5d	13256CP	-	-	49
13258	ML	H1	24V	70W	P14,5s	13258MLC1	-	-	36
13258	-	H1	24V	70W	P14,5s	13258C1	-	13258B1	36
13336	ML	H3	24V	70W	PK22s	13336MLC1	-	-	37
13336	-	H3	24V	70W	PK22s	13336C1	-	13336B1	37
13342	ML	H4	24V	75/70W	P43t-38	13342MLC1	-	-	38
13342	-	H4	24V	75/70W	P43t-38	13342C1	-	13342B1	38
13442	-	H4	24V	100/90CP	P43t-38	13442C1	-	-	38
13445	-	Stop P25	24V	18W	BA15s	13445CP	-	-	47
13496	ML	PY21W	24V	21W	BAU15s	13496MLCP	-	-	47
13498*	ML	P21W	24V	21W	BA15s	13498MLCP	-	-	46
13498	-	P21W	24V	21W	BA15s	13498CP	-	-	46
13499	-	P21/5W	24V	21/5W	BAY15d	13499CP	-	-	46
13516	-	W1,2W	24V	1,2W	W2x4,6d	13516CP	-	-	48
13543	-	H4	24V	100/90CP	P45t-41	13543C1	-	-	38
13555	-	H4	24V	75/70W	P45t-41	13555C1	-	-	38
13598	-	BAX	24V	1,2W	BAX8,5d/2	13598CP	-	-	52
13620	-	R2	24V	55/50W	P45t-41	13620C1	-	-	44
13807	-	Fest T15x43	24V	18W	SV8,5	13807CP	-	-	51
13814*	ML	R10W	24V	10W	BA15s	13814MLCP	-	-	48
13814	-	R10W	24V	10W	BA15s	13814CP	-	-	48
13818	-	Fest T6,2x27	24V	3W	SV6	13818CP	-	-	50
13821*	ML	R5W	24V	5W	BA15s	13821MLCP	-	-	48
13821	-	R5W	24V	5W	BA15s	13821CP	-	-	48
13822	-	R5W	24V	5W	BA15s	13822CP	-	-	48
13844	-	C5W	24V	5W	SV8,5	13844CP	-	-	50
13848	-	Fest T6,2x35	24V	3W	SV6	13848CP	-	-	50
13854	-	Fest T10,5x38	24V	10W	SV8,5	13854CP	-	-	51
13864	-	Fest T10,5x43	24V	5W	SV8,5	13864CP	-	-	51
13866	-	Fest T10,5x43	24V	10W	SV8,5	13866CP	-	-	51
13910	-	T3W	24V	T3W	BA9s	13910CP	-	-	51
13913	-	T2W	24V	T2W	BA9s	13913CP	-	-	51
13929*	ML	T4W	24V	4W	BA9s	13929MLCP	-	-	52
13929	-	T4W	24V	T4W	BA9s	13929CP	-	-	52
13960	-	W2,5W	24V	2,5W	W2,1X9,5d	13960CP	-	-	49
13961	-	W5W	24V	5W	W2,1X9,5d	13961CP	-	-	49
13972	ML	H7	24V	70W	PX26d	13972MLC1	-	-	39
13972	-	H7	24V	70W	PX26d	13972C1	-	13972B1	39
24029	-	BAX	24V	1,2W	BAX8,5d/2	24029CP	-	-	53
24030	-	Fest TW15x43	24V	20W	SV8,5	24030CP	-	-	51
24032	-	BAX	24V	1,2W	BX8,5D	24032CP	-	-	53
24356	-	H21W	24V	21W	BAY15d	24356CP	-	-	54
24362	ML	H11	24V	70W	PGJ19-2	24362MLC1	-	-	40
24754	-	H4	24V	100/90W	P43T	24754C1	-	-	38
42402#	CX	D4S 5000K+	85V	35W	P32d-2	-	-	42402CXX2	35
42402#	WX	D4S 6000K	85V	35W	P32d-5	-	-	42402WXX2	35
42402	FS	D4S 6700K	85V	35W	P32d-5	-	-	42402FSX2	35
42406#	CX	D4R 5000K+	85V	35W	P32d-3	-	-	42406CXX2	35
42406#	WX	D4R 6000K	85V	35W	P32d-6	-	-	42406WXX2	35
42406	FS	D4R 6700K	85V	35W	P32d-6	-	-	42406FSX2	35
85122	ST	D2S 4200K+	85V	35W	P32d-2	-	-	85122X2	35
85122	CX	D2S 5000K+	85V	35W	P32d-2	-	-	85122CXX2	35
85122*	SX	D2S 5700K	85V	35W	P32d-2	-	-	85122SXX2	35
85122	WX	D2S 6000K	85V	35W	P32d-2	-	-	85122WXX2	35
85122	FS	D2S 6700K	85V	35W	P32d-2	-	-	85122FSX2	35
85126	ST	D2R 4200K+	85V	35W	P32d-3	-	-	85126X2	35
85126	CX	D2R 5000K+	85V	35W	P32d-3	-	-	85126CXX2	35
85126*	SX	D2R 5700K	85V	35W	P32d-3	-	-	85126SXX2	35
85126	WX	D2R 6000K	85V	35W	P32d-3	-	-	85126WXX2	35
85126	FS	D2R 6700K	85V	35W	P32d-3	-	-	85126FSX2	35
85410	ST	D1S 4200K+	85V	35W	PK32d-2	-	-	85410X2	35
85410	WX	D1S 6000K	85V	35W	PK32d-2	-	-	85410WXX2	35

* availablie soon # special order only